

Product Code 39 (Tab Moxifloxacin-400mg)

A. Specific requirements

Item:

Product Code 39 (PC 39) consists of blister strips of Moxifloxacin Tablets. The drug contained in the product shall have valid registration in the country of manufacture and shall meet all requirements of the licensing authority of the country of manufacture. The drug contained in the product shall also have valid registration in India and shall meet all the requirements of the licensing authority in India.

Description:

Moxifloxacin Tablets contained in blisters of the strip shall conform to the general requirements of Tablets and the requirements under individual monograph given in IP or other Pharmacopoeia of equivalent accuracy in case of international transactions.

Moxifloxacin Tablets contain Moxifloxacin.

Each tablet shall contain - Moxifloxacin 400 mg

The quality of Moxifloxacin should conform to the requirements of the individual monograph given in in IP or other Pharmacopoeia of equivalent accuracy in case of international transactions.

Protocols and Testing:

For manufacturers outside India:

Complete test protocols along with the samples of all the batches should be sent to the Head of a Testing laboratory identified and specified by the purchaser.

For Indian manufacturers:

Complete Test Protocol and samples are taken and sent to the laboratory (identified by the purchaser) by the Inspecting Officer duly sealed and signed by him or his authorized representative.

Protocols of tests should include the requirements given for Tablets and those included under individual monograph given in IP, besides the following tests.

Package Integrity Test:

Check 10 strips. Bundle up the strips and submerge them under water in a vacuum desiccator or equivalent device. Draw a vacuum of about 18k Pa (-0.18 bar) and hold for a minute. Examine for the air leakage indicated by a fine stream of bubbles. Reestablish normal pressure and open strips to examine for water penetration.

Microbial Count:

When the test is conducted as per IP

- Total viable aerobic count- Not more than 10^3 bacteria and not more than 10^2 fungi per gram
- Absence of Escherichia coli.

The drug should be dispatched to the consignee only on clearance from the Testing Laboratory. The drug shall be released on the basis of Protocol scrutiny by the authorized representative of the Purchaser and testing of the drugs by authorized laboratory.

Each batch should be accompanied with a certificate from the manufacturer that the drugs meet the specified requirements.

B. Labelling:

General requirements of the labels:

- Shall meet WHO GMP standards.
- All the labels should be peel proof.
- **“RNTCP- Central Government Supply- NOT FOR SALE”** to be imprinted on the labels of strips, Millboard/Greyboard Boxes & 5 Ply Shippers.
- **“Schedule H1 Drug”** to be imprinted on label of strips, Millboard/Greyboard Boxes & 5 Ply Shippers.

Labelling on Strip of Blisters:

The label shall indicate the content of Moxifloxacin in each tablet.

All labelling should be in weatherproof ink and shall withstand immersion in water and remain intact.

The label shall incorporate manufacturing license no., batch no., date of mfg., date of expiry of the individual drug and storage requirements.

The label shall conform to the requirements of Drugs & Cosmetics Act 1940 and Rules made thereunder and as amended from time to time.

Labelling on Millboard/Greyboard Box:

The label shall indicate the content of Moxifloxacin in each tablet.

The label shall incorporate manufacturing license no., batch no. date of mfg., date of expiry, of the drug and storage requirements along with the number of the strips. The label shall include Bar Code and be tear proof, to be pasted on smooth surface to enable it to be read by Bar Code reader / Hand held device (Tablet computer / Smartphone).

The label shall conform to the requirements of Drugs & Cosmetics Act 1940 and Rules made thereunder and as amended from time to time.

MILLBOARD/GREYBOARD BOX

| | |
|---|---|
| TB TREATMENT DRUG CONTAINS PRODUCT CODE 39 MOXIFLOXACIN TABLETS 400 mg (10 x 10 Tablets) | |
| Each Blister Strip Contains 10 Tablets of Moxifloxacin(400 mg) | |
| Batch No.: |  |
| Mfg. Date: | |
| Exp. Date: | |
| <p>SCHEDULE H1 PRESCRIPTION DRUG – CAUTION It is dangerous to take this preparation except in accordance with the medical advice. Not to be sold by retail without the prescription of a Registered Medical Practitioner.</p> | |
| “RNTCP – Central Government Supply – Not for Sale” | |
| Manufacturer’s Name | |
| Manufacturing Lic. No. | |

Labelling on 5-Ply Shipper:

The labels on shipper package must be attached to at least two sides. The label should include the name of the product, the number of Millboard/Greyboard Boxes, the number of strips, the name of the manufacturer, batch number/Mfg. date/Expiry date of the drug. The label shall also include storage/handling instructions. The label shall include Bar Code and be tear proof, to be pasted on smooth surface to enable it to be read by Bar Code reader / Hand held device (Tablet computer / Smartphone).

The label shall conform to the requirements of Drugs & Cosmetics Act 1940 and Rules made thereunder and as amended from time to time.

5 – PLY SHIPPER

TB TREATMENT DRUG CONTAINS (PRODUCT CODE 39)

MOXIFLOXACIN TABLETS 400 mg

20 Millboard/Greyboard Boxes



Batch No. :

Mfg. Date:

Exp. Date:

SCHEDULE H1 PRESCRIPTION DRUG – CAUTION
It is dangerous to take this preparation except in
accordance with the medical advice.
Not to be sold by retail without the prescription of a
Registered Medical Practitioner.



**“RNTCP - Central Government Supply
– Not for Sale”**

Manufacturer’s Name

Manufacturing Lic. No.

Numbering of shipper packaging:

All 5 Ply Shippers should be numbered consecutively. Shipping documents should be included in the shipper numbered first (consignee wise).

C. Quality Assurance:

Compliance:

The Supplier shall guarantee that the products as packed for shipment (a) comply with all provisions of the specification and related documents; (b) meet the recognized standards for safety, efficacy and quality; (c) are fit for the purposes made known to the Seller; (d) meet the requirements of manufacturing legislation and regulation of pharmaceuticals in the country of origin; (e) are free from defects in workmanship and in materials and (f)) the product has been manufactured as per WHO GMP requirements.

Evidence:

The Supplier shall provide objective evidence, acceptable to the Purchaser, of the satisfaction of the requirements of this document for which no specific inspection has been mentioned.

The Supplier shall provide a copy of the Certificate of Analysis for each lot intended for shipment.

The Supplier shall provide to the Purchaser a copy of the approval of each source material, constituent material and component for each lot intended for shipment.

The Supplier shall provide evidence of basis for expiration dating and stability data concerning the commercial final package upon request.

The test data for raw materials, in-process, finished product and packaging material testing must be on record for each lot shipped and must be made available to Purchaser's representatives when requested.

Details of samples lifted for testing (such as quantity of strips, Millboard/Greyboard boxes, batch no. etc.) should be pasted on packing of 5 Ply Shipper and records to this effect be also made available to the purchaser.

Inspection:

The Purchaser may inspect and sample, or cause to be sampled, the product at the Supplier's factory and/or warehouse at a mutually agreeable time prior to the shipment of the product.

The successful Bidder will also be required to provide the Purchaser with access to its manufacturing facilities to inspect its facilities, quality control procedures for raw materials, test methods, in-process tests, and finished dosage forms.

Testing:

The Purchaser may cause independent laboratory testing to be performed as deemed necessary to assure that the goods conform to the prescribed requirements. The said laboratory testing shall be of the Purchaser's choice if suitably equipped and qualified to conduct quality assurance tests on the product.

D. Storage:

As per applicable Pharmacopoeia.

E. Shelf Life:

Shelf life should be minimum 36 months from the date of manufacture.

At least 5/6th of the total stipulated shelf life must remain at the time of arrival at the consignee's warehouse. The supplier will provide manufacturer's stability test data substantiating the claimed shelf life in the proposed package. Not only the pharmaceuticals, but also the packaging components should also conform to specifications suitable for use in a climate prevailing in India. The product supplied should have been subjected to long term stability conditions as per below requirements:

| Study | Storage condition |
|---------------------|--|
| Long Term Stability | 25 °C ± 2 °C/60% RH ± 5% RH or 30 °C ± 2 °C/65% RH ± 5% RH |

F. Qualification of the Manufacturer:

The Bidder shall furnish a certificate from the competent Regulatory Authority that the manufacturer of the pharmaceutical product is licensed to manufacture these products. The manufacturing facility must conform to WHO-GMP standards.

G. Recalls:

If products must be recalled because of problems with product quality or adverse reactions to the drug, the Supplier will be obliged to notify the purchaser providing full details about the reason leading to the recall and shall take steps to replace the product in question at its own cost with a fresh batch of acceptable quality, or withdraw and give a full refund if the product has been taken off the market due to safety problems.

H. Colour Coding:

The labels on Blisters, Millboard/Greyboard Boxes and 5 Ply Shipper package shall be identified by **white** background.

I. Bar Coding

Bar coding shall be used for better inventory management. It shall be printed on the labels of Millboard / Greyboard Boxes and 5 Ply Shippers containing all requisite information as per the Department of Pharmaceuticals, Ministry of Chemicals and Fertilizers, New Delhi orders pertaining to Bar Code labeling in drugs, vide letter dated 14 January 2019 or as modified from time to time by the competent / regulatory authority.

The important information which shall be incorporated in bar code is:

- 1) Product Name/content
- 2) Product Strength
- 3) Batch Number
- 4) Date of Manufacturing
- 5) Date of Expiry
- 6) Manufacturer Address
- 7) Manufacturer License number
- 8) Storage conditions requirement
- 9) Number of Tablets in a Blister Strip/ Millboard/Greyboard Boxes and 5 Ply Shipper

J. Packing

The drug is initially packed in a Blister Strip each containing 10 tablets. 10 such strips would be further packed in white coloured Millboard/Grey board boxes and 20 such Boxes are ultimately packed in 5-Ply Shipper.

A strip consisting of individual blister of the drugs duly identified should be packed in an Aluminium-PVC blister pack. The blister blister should be tropicalized with regard to moisture barrier properties for drug stability under field conditions. Quality Assurance is according to Norm ISO 9001 for all the packaging material.


Aluminium-PVC Blister:

PVC Film: Transparent, clear /amber, food grade, blister forming PVC film, film gauge- 200microns, PE coating: 25 microns, PVdC coating: 60gsm.

Aluminium foil: Hard tempered Blister foil, VMCH coated, Thickness: 0.025mm.

Spacing between capsules should be enough so as to allow removal by patients with finger deformities.

Complex Constructions with PVC Films



TECHNICAL DATA FOR THE STANDARD COMPLEXES

Complex:

| | |
|--------------------------------|-------|
| Rigid PVC film gauge (microns) | 200 |
| PE coating (microns) | 25 |
| PVdC coating (gsm) | 60 |
| Total weight (gsm) | 356 |
| Complex gauge (mm) | 0.280 |

Water Vapour Transmission Rate (W V T R):

| Temperature (°C) | Relative Humidity % RH | gsm/24h | Vapour Transmission rate | |
|---------------------|---------------------------|----------|--------------------------|------------------|
| | | | Thermoformed | Not thermoformed |
| 20 | 85 | gsm/24 h | 0.15 | 0.06 |
| 38 | 90 | gsm/24 h | 0.7 | 0.4 |

Shrinkage longitudinally

T = 140°C, t = 20 min. (%) 5 – 6
 Application temperature (°C) 68 – 74

Millboard/ Grey board Box:

Each box shall contain 10 strips. The boxes shall be labelled and fabricated from at least 3 mm corrugated cardboard surrounded on inside and outside by tightly affixed millboard of at least 400 gsm. The style of top and bottom shall be tuck-in-flap.

5-Ply Shipper Package:

Each 5 Ply Shipper shall contain 20 millboard/Greyboard boxes. The boxes shall be packed in weather resistant, triple walled, insulated, corrugated, RSC (Universal) type 5-ply Shippers, each ply having strength of minimum 150gsm. It should be fabricated from virgin quality 'A' grade kraft paper. The overall dimension of the carton should be such that the product does not get damaged during transportation and storage.

Each shipping carton when packed should weigh not more than 50 kg.

K. Markings

All containers and invoices must bear the name of the product, expiry dates of and appropriate storage conditions.

Millboard/Greyboard Box:

The Boxes shall be marked with the following information in a clearly legible manner which is acceptable to the Purchaser:

- Manufacturer's name and registered address
- Manufacturer's License number
- Batch number of the drug
- Number of tablets/strips contained in the box
- Date of manufacture (month and year) of the drug
- Expiration date (month and year) of the drug
- Instructions for storage and handling
- Logo of DOTS
- Place of manufacture (Made in_____)

5 – Ply Shipper:

The following information shall be stenciled or labeled on 5 – Ply Shippers on all four sides in bold letters of at least **Arial font size 18** with waterproof indelible ink in a clearly legible manner which is acceptable to the Purchaser:

- Generic name of the product
- Batch number of the drug
- Date of manufacture of the drug (month and year)
- Expiration date of the drug (month and year)
- Manufacturer's name and registered address
- Manufacturer's national registration number
- Destination country license or registration number
- Consignee's address and emergency phone number including mobile number
- Destination airport (if any)
- Contract number
- Number of Millboard/Greyboard Boxes contained in the carton (5 Ply Shipper)
- Gross weight of each carton (in kg)
- Instructions for storage and handling
- Logo of DOTS
- Place of manufacture (Made in_____)

L. Documentation

Supplier shall provide to Purchaser a copy of the batch record, including all quality assurance documentation for the product being supplied.

M. Dimensions of the logos

MILLBOARD/GREYBOARD BOX

3.5x3 cm



- M = 20
Y = 100
- M = 100
Y = 100
- M = 60
Y = 100
- K = 100

5 – Ply Shipper

5.5x4.7 cm



● M = 20
Y = 100

● M = 100
Y = 100

● M = 60
Y = 100

● K = 100